

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("5577921" "4825167" "5503132").pn.	USPAT	OR	OFF	2005/06/13 11:06
S1	0	10/772395	US-PGPUB; USPAT	OR	OFF	2005/06/09 14:29
S2	3	("6396277" "3477024").pn. or "20040239331"	US-PGPUB; USPAT	OR	OFF	2005/06/09 15:31
S3	12	("4644284" "4758791" "4795979" "4847563" "5004984" "5132625" "5208541" "5444376" "5614828" "5668311" "6359439" "6396277").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/09 15:51
S4	8	("3921062" "4052665" "4349782" "4758791" "4795979" "4871970" "5004984" "5045796").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/09 15:59
S5	12	324/402.ccls. and (slid\$3)	USPAT	OR	OFF	2005/06/09 16:19
S6	13	324/402.ccls. and (slid\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 09:14
S7	1	324/402.ccls. and 324/686.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/09 16:22
S9	47	324/686.ccls. and (slid\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 09:37
S10	5	324/686.ccls. and (ignition or "coil-on plug")	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 10:01
S11	4	"4013334"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 09:41
S12	107	324/378-402.ccls. and ((capacit\$3 capacita\$3) near3 (sensor\$1 detect\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 10:33
S13	5	S12 and (slid\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 10:03

S14	57	324/378-402.ccls. and ((capacit\$3 capacita\$3)) and (slid\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 10:34
S15	52	S14 not S13	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 11:03
S16	4	"3705692"	EPO; JPO; DERWENT	OR	OFF	2005/06/10 14:53
S17	19	324/378-402.ccls. and (control near3 circuit)	EPO; JPO; DERWENT	OR	OFF	2005/06/10 14:54
S18	234	324/378-402.ccls. and (control near3 circuit)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 14:55
S19	2	324/378-402.ccls. and ((control near3 circuit) same ((capacit\$3 capacita\$3) near3 (sensor\$1 detect\$3)))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 14:58
S20	19	324/378-402.ccls. and ((control\$3) same ((capacit\$3 capacita\$3) near3 (sensor\$1 detect\$3)))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 15:20
S21	7	324/402.ccls. and slid\$3 and mount\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 15:28
S22	13	324/402.ccls. and slid\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 15:29
S23	6	S22 not S21	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 15:29
S24	11	"6396277"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 15:50
S25	67	324/687-690.ccls. and (control\$3 same potentiometer\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 15:51
S26	48	S25 and switch\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 16:17

S27	79	123/634-636.ccls. and slid\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 16:20
S28	16	S27 and (capacit\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/10 16:21
S29	4	("5577921").URPN.	USPAT	OR	OFF	2005/06/10 17:29
S30	5	((sensor\$1 detector\$1) with (ignition near2 coil)) same (slid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:02
S31	9224	(spring with (guide near2 rod))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:10
S32	6	S31 and (ignition near3 coil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:05
S33	303	(spring with (guide near2 rod)) with (slidably near3 mounted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:11
S34	298	(spring with (guide near2 rod)) with (slidably near3 mounted)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/10 18:11
S35	7	S34 and sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/10 18:21
S36	1	"4013334".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/10 18:23
S37	1154	(velcro with plastic)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/10 18:23
S38	1466	(velcro with ((plastic) (rubber)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/10 18:23

S39	3	("4013334" "3979664").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/12 12:26
S40	10	700/258.ccls. and (capacit\$4) and potentiometer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/12 12:41
S41	19	"700"/\$.ccls. and ((capacitive capacitor capacitance) near2 sensor) and potentiometer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/12 12:42
S42	21	"700"/\$.ccls. and ((capacitive capacitor capacitance) near2 sensor\$1) and potentiometer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/12 12:43
S43	35	"700"/\$.ccls. and ((capacitive capacitor capacitance) near2 (sensor\$1 detector\$1)) and potentiometer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/12 13:29
S44	6	((plurality many two) near3 ((capacitive capacitor capacitance) near2 (sensor\$1 detector\$1))) same potentiometer same (control\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/12 13:45
S45	2	("5391100" "5419300").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/12 13:45
S46	2	("4825167" "5503132").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/13 09:22
S47	30	("4825167").URPN.	USPAT	OR	OFF	2005/06/13 09:37
S48	7	324/378-402.ccls. and (capacitiv\$3 with divid\$3) and potentiometer\$1	USPAT	OR	OFF	2005/06/13 09:38
S49	11	324/378-402.ccls. and (capacitiv\$3 with divid\$3) and potentiometer\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/13 09:38
S50	7	("5503132").URPN.	USPAT	OR	OFF	2005/06/13 09:44
S51	1	"4013334".pn.	USPAT	OR	OFF	2005/06/13 11:06